

ATECO

Zemin Malzemeleri

VOLUME TWO

vibe dapple tiltnturn balance collection alaska osaka rainfall origin



contents

about	04
our history	04
our environmental credentials	05
<hr/>	
volume two	
dapple	06 - 09
vibe	10 - 13
tiltnturn	14 - 17
balance collection	18 - 23
alaska	24 - 27
osaka	28 - 31
rainfall	32 - 35
origin	36 - 39
<hr/>	
behind the scenes	40 - 41



alaska ice and ridge with rainfall air

about us

With Yorkshire roots woven into the fabric of the company, we have a strong and established history.

Opening our doors in 1917 at the 11-acre site we still call home today, the business has grown, developed and flourished, while still retaining a sense of humble beginnings and regional charm, a quality that's close to our heart.

Fast forward to today we have grown into a company with global reach, currently exporting to over 50 countries worldwide.




our history

Since 1917, making new materials from old has been at the core of our business, which saw key developments between 1930 to 1986.

From humble beginnings, supplying reclaimed fibre made from recycled parachute cord the business made a strategic decision to manufacture carpet tiles in the 1960's.

Since then the business has expanded its product range dramatically which now includes: multilevel loop, low level loop, textured loop, fibre bonded, structure bonded® and entrance matting products.



Ossett Mill new machine installation in 1970s

our environmental credentials

With a history influenced by recycling, we're strongly committed to protecting the planet. In keeping with our dedication to conserving energy and reducing waste, our flooring solutions are manufactured using 100% renewable electricity. We also offer carbon neutral and carbon negative options.

Our products contain more than 60% recycled materials, including yarn and fibre, our unique Accummen™ backing system utilises more than 75% recycled content which is sourced locally and we also use up to 50% recycled content in scrim and latex.

Not only that, we continuously assess and improve our manufacturing process to minimise the use of raw materials and power.


All our tufted products have BS EN 1307 Heavy Commercial use Class 33 classification.

We also hold environmental certifications against the most influential industry standards, which include:


- EPD verified according to ISO 14025:2006, superseding BREAA as more accurate indicator
- A+ VOC rating
- The Building Information Foundation, Finland. Certified building materials with low emission class M1
- SKA standards and LEED accreditation for product range
- contribute to the WELL Building Standard™
- **burmatex®** products can contribute towards satisfying the following credits for LEED v4
 - NC-v4/CI-v4
 - MRc2/MRc3
 - MRc3/MRc4
 - EQc1, EQc2, EQc6, EQc9



burmatex® and our supply partners are committed to net zero



dapple



dapple cool breeze and silver gleam

The colour in **dapple** comes and goes, as light would dip in and out in a forest.

This, paired with the organic pattern of the design, gives dapple a unique biophilic feel.

The large scale irregular design makes dapple perfect for open plan spaces, lobbies, reception areas, boardrooms or anywhere you want to bring the outside in.



dapple airy celadon






dapple grey zephyr, cool breeze and golden hour



dapple spring seed



dapple grey zephyr and cool breeze

dapple range comprises of 12 colours taking you from warm to watery, cool and pure. Each colour is taken from outdoor inspirations and environments.




dapple inky shade and luminous blue

Pile Yarn Weight: 678g/m2
Luxury Rating Class: LC2
Wear Classification: Class 33
Yarn: 100% Solution Dyed
 Nylon 6 (Polyamide-PA)

colour bank

- 01 - silver gleam
- 02 - cool breeze
- 03 - grey zephyr
- 04 - golden hour
- 05 - spring seed
- 06 - airy celadon
- 07 - luminous blue
- 08 - vivid navy
- 09 - midnight violet
- 10 - inky shade
- 11 - moonlit glow
- 12 - dark nimbus



This floor covering was made with renewable electricity



Certificate Number FM01440
 BS EN ISO 9001:2015




Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1


vibe



Large scale statement design featuring a bold mesh grid. **vibe** is inspired by torn netted structures with areas of strong pattern breaking away into sections of plain.

Whilst the grid is the main feature of the design, underneath are subtle broken shapes created from torn and folded papers. This building of layers within the design creates a luxurious, velvet like appearance





The palette of 12 colours provides core greys and neutrals as well as some vibrant colour-on-grey options with the grid pattern enhancing the colour. From pastel tones to bright highlight pops, it is suitable for all manner of interiors and installations



Pile Yarn Weight: 774g/m2
Luxury Rating Class: LC2
Wear Classification: Class 33
Yarn: 100% Solution Dyed
Nylon 6 (Polyamide-PA)

colour bank

- 01 - after dark
- 02 - blue velvet
- 03 - cotton canvas
- 04 - crushed cord
- 05 - deep pistachio
- 06 - golden slice
- 07 - grey linen
- 08 - liquorice lace
- 09 - minty mesh
- 10 - satin sapphire
- 11 - silk white
- 12 - silver pearl



This floor covering was made with renewable electricity

Certificate Number FM01440
BS EN ISO 9001:2015

EMISSIONS DANS L'AIR INTÉRIEUR
A+ A B C
Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)

M1>
The Building Information Foundation, Finland. Certified building materials with low emission class M1


tiltnturn



tiltnturn is inspired by a fascination with how light reflects on and off angled surfaces, bringing life to solid colour. Pops of light and shade sit alongside harmonising mid tones. As the product is installed, new angles and shapes emerge alongside areas of quiet, creating a unique effect in each space. The overall effect is contemporary yet calm and unique.




The smooth transition from darker tones to lighter tones within tiltnturn reflect the amazing effects of light and shadow which surround us every day. All colours work alone, or can be grouped together. Either option will complement other furniture and finishes within each project.



Pile Yarn Weight: 770g/m2
Luxury Rating Class: LC3
Wear Classification: Class 33
Yarn: 100% Solution Dyed Nylon
 (Polyamide-PA)

colour bank

01 - silver pitch
 02 - zinc facet
 03 - grey horizon
 04 - gold patina
 05 - light angle
 06 - sky tint
 07 - blue facade
 08 - coal layer
 09 - clay screen
 10 - metal edge
 11 - green space
 12 - ash profile



This floor covering was made with renewable electricity



Certificate Number FM01440
 BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

balance grade



balance grade skylight beam and granite vapour

balance grade is inspired by misty Chicago mornings where the dew is fresh from Lake Michigan. It is a soft and subtle design which leaves a calming effect across the floor.



balance grade warm frost

Pile Yarn Weight: 628g/m2


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% Solution Dyed Nylon
(Polyamide-PA)

colour bank

- 01 - steel tower
- 02 - warm frost
- 03 - concrete lead
- 04 - granite vapour
- 05 - city clay
- 06 - skylight beam
- 07 - harbour view
- 08 - urban nickel
- 09 - river dew
- 10 - sage vista
- 11 - twilight dawn
- 12 - navy shore



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)






The Building Information Foundation, Finland. Certified building materials with low emission class M1

balance grid



balance grid is inspired by the strong lines seen in high rise skyscrapers, shining and gleaming.




It is a classic yet contemporary design which works alone or paired with the other two designs in the balance collection: **balance grade** and **balance ground**.



Pile Yarn Weight: 628g/m2
Luxury Rating Class: LC2
Wear Classification: Class 33
Yarn: 100% Solution Dyed Nylon
 (Polyamide-PA)

colour bank

- 01 - steel grey
- 02 - warm dusk
- 03 - concrete core
- 04 - granite mesh
- 05 - smoky clay
- 06 - skylight chrome
- 07 - harbour cloud
- 08 - black nickel
- 09 - river haze
- 10 - sage glass
- 11 - twilight fog
- 12 - navy night





balance ground



balance ground is inspired by the rough texture of sidewalks and pavements that run throughout the city of Chicago.

It is strong in tactile elements but soft in colour, designed to give your space some breathing room.



Pile Yarn Weight: 628g/m2


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% Solution Dyed Nylon
(Polyamide-PA)

colour bank

- 01 - steel
- 02 - warm
- 03 - concrete
- 04 - granite
- 05 - clay
- 06 - skylight
- 07 - harbour
- 08 - nickel
- 09 - river
- 10 - sage
- 11 - twillight
- 12 - navy



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015




Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1


alaska




alaska wolf and husky

Inspired by nature, **alaska** is a textural design incorporating classic greys and warm neutral hues. **alaska** was the first design to launch within the multilevel loop range.

Offering a practical yet calming interior design choice, **alaska** is practical and contemporary. Reminiscent of ripples on a lake, layers of rock and formations of ice – that wouldn't be out of the place in the state that bears its name.



alaska north




alaska north



alaska ridge

Global travel provides inspiration, education and aspiration for many of our ranges and **alaska** is no different. With new experiences comes new influences taken from geography, geology, landscape and lifestyle. The textural finish of the product also works beautifully when used in deliberate contrast to some of our other ranges.



alaska wolf, husky, spruce, valley and lake



Pile Yarn Weight: 800g/m2

Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% regenerated solution dyed nylon (Polyamide-PA)

colour bank

- 01 - ice
- 02 - ridge
- 03 - point
- 04 - north
- 05 - moose
- 06 - anchor
- 07 - creek
- 08 - lake
- 09 - husky
- 10 - wolf
- 11 - valley
- 12 - spruce

01 02 03 04 05 06 07 08 09 10 11 12

This floor covering was made with renewable electricity

Certificate Number FM01440
BS EN ISO 9001:2015



EMISSIONS DANS L'AIR INTERIEUR
A+ A B C
Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)

EMISSION CLASS FOR BUILDING MATERIALS
M1
The Building Information Foundation, Finland. Certified building materials with low emission class M1

osaka



An urban design with hints of nature, **osaka** celebrates the sharp contrast of ceremonial Japan replete with age old tradition, flourishing in a 21st century context.





osaka yari and arashi

Inspired by the designer's trip to vibrant Japan, this design offers an interesting and tonal carpeting solution to suit any space.

The geometric outline is inspired by the traditional practice of origami, combined with organic shapes, reminiscent of a bamboo forest floor. The abstract nature of the design, teamed with a diverse colour palette, allows it to be both soft and strong, expertly working with any modern interior space.




osaka arashi

Pile Yarn Weight: 795g/m2
Luxury Rating Class: LC2
Wear Classification: Class 33
Yarn: 100% Solution-dyed high performance nylon-6,6 with pre-consumer 20% recycled content

colour bank

01 - haiku
 02 - sesame
 03 - sumi
 04 - lantern
 05 - arashi
 06 - yari
 07 - fuji
 08 - inkpot
 09 - mochi
 10 - matcha
 11 - orchid
 12 - sakura



This floor covering was made with renewable electricity



Certificate Number FM01440
 BS EN ISO 9001:2015





Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1


rainfall



rainfall shade

As the name suggests, the patterns formed by rain drops inspired this soft and serene design.

With darker tones punctuating the surface of the pattern, **rainfall** is layered and soft in texture while offering a varied and randomly placed aesthetic.




rainfall shade and birch



rainfall dark and air

Creating a calm effect once installed, this design is the perfect solution to create a peaceful office or retail environment.



rainfall light



Pile Yarn Weight: 910g/m2
Luxury Rating Class: LC3
Wear Classification: Class 33
Yarn: 100% regenerated solution dyed nylon (Polyamide-PA)


colour bank

- 01 - light
- 02 - shade
- 03 - dark
- 04 - deep
- 05 - stone
- 06 - pave
- 07 - ground
- 08 - brick
- 09 - birch
- 10 - air
- 11 - bloom
- 12 - leaf

origin



origin is a sophisticated and plush range, working as a stand-alone product as well as with other carpet tiles in our collection, such as osaka, rainfall and alaska.






origin surf with alaska lake



origin pearl with balance grade warm frost and city clay



The new colouration of origin was inspired by coastal themes and forecasted colour trends. Organic and natural, the colour palette is usable, classic and clean.

Looking to the colour names chosen, you can clearly see the oceanic inspiration. Fresh and crisp surf, deep and dramatic wave, smooth pebble and atmospheric cloud, to name a few in the palette of 10.

Pile Yarn Weight: 1300g/m2

Luxury Rating Class: LC5


Wear Classification: Class 33

Yarn: 100% Solution Dyed Aquafil

Econyl® Nylon (Polyamide-PA)

colour bank

- 01 - cloud
- 02 - pearl
- 03 - pebble
- 04 - shale
- 05 - mussel
- 06 - gull
- 07 - gorse
- 08 - surf
- 09 - wave
- 10 - heather



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

behind the scenes / studio

Creativity is at the heart of everything we do, championed by our team of in-house designers thoughtfully creating, developing and refining each range.

research and development



production and technical testing



photography and product launch





www.atecozemin.com